

# Cryogenics

## Index to Volume 37 (1997)

No. 1 (January) pp 1–66	No. 5 (May) pp 233–284	No. 9 (September) pp 479–552
No. 2 (February) pp 67–127	No. 6 (June) pp 285–340	No. 10 (October) pp 553–706
No. 3 (March) pp 129–180	No. 7 (July) pp 341–401	No. 11 (November) pp 707–768
No. 4 (April) pp 181–232	No. 8 (August) pp 403–478	No. 12 (December) pp 769–894

### Article Index (titles in italics refer to Research and technical notes)

#### Number 1/January

A numerical model on transient, two-dimensional flow and heat transfer in He II

*T. Kitamura, K. Shiramizu, N. Fujimoto, Y.F. Rao and K. Fukuda* 1

Optimum structure of multilayer regenerator with magnetic materials

*T. Tsukagoshi, K. Matsumoto, T. Hashimoto, T. Kuriyama and H. Nakagome* 11

Effect of Cu–Co and coupled Er–Ca/Cu–Co substitution upon superconductivity in  $\text{ErBa}_2\text{Cu}_3\text{O}_{7.5}$

*R.G. Kulkarni, K.M. Pansuria, U.S. Joshi, G.J. Balधा and D.G. Kuberkar* 15

Liquid nitrogen cooled sample stage for scanning electron microscopy using a superconducting  $\text{YBa}_2\text{Cu}_3\text{O}_{7.5}$  shield

*R. Gerber, T. Nissel, H.-G. Wener, A. Willmann, R.P. Huebener, D. Koelle and R. Gross* 21

Measuring thermistor resistance with very low d.c. power dissipation

*A. Alessandrello, C. Brofferio, D.V. Camin, O. Cremonesi, A. Giuliani, A. Nucciotti, M. Pavan, M. Perego, G. Pessina, E. Previtali and M. Sisti* 27

On the Joule–Thomson integral inversion curves of quantum gases

*B.-Z. Maytal and A. Shavit* 33

Study of the paramagnetism on the magnetic relaxation in MTG  $\text{GdBa}_2\text{Cu}_3\text{O}_{6.7}$  superconductors

*M.J. Qin, X. Jin, X.X. Yao,*

*X.S. Rong, Y.M. Ni, L. Xiao, X.K. Fu and H.T. Ren* 39

Numerical evaluation of pulsed field magnetisation of a bulk high  $T_c$  superconductor

*M. Tsuchimoto, H. Waki, Y. Itoh, Y. Yanagi, M. Yoshikawa, T. Oka, Y. Yamada and U. Mizutani* 43

Second VAMAS a.c. loss measurement intercomparison: magnetization measurement of low-frequency (hysteretic) a.c. loss in NbTi multifilamentary strands

*E.W. Collings, M.D. Sumption, K. Itoh, H. Wada and K. Tachikawa* 49

Subdivision of internal energies of neon, argon, krypton and xenon into separate components

*S.A. Ulybin and V.I. Sukhov* 61

An improved  $^3\text{He}$  refrigerator

*G. Dall'Oglio, L. Martinis, G. Morgante and L. Pizzo* 63

#### Number 2/February

Experimental research on the enhancement of boiling heat transfer of liquid helium in narrow channel

*T. Guo and T. Zhu* 67

Main dimensionless parameters to describe the quench process in superconductors with changing current

*N.A. Buznikov and A.A. Pukhov* 71

Second VAMAS a.c. loss measurement intercomparison: a.c. magnetization measurement of

hysteresis and coupling losses in NbTi multifilamentary strands

*C. Schmidt, K. Itoh and H. Wada* 77

Weibull statistical analysis of quench current of a.c. superconducting wires and coils

*N. Hayakawa, M. Wakita, M. Hikita and H. Okubo* 91

Theoretical sensitivity limits of the SQUID system for measuring the radial position of a beam of electrically charged particles in superconductive accelerators

*V. Zrubec* 97

Structural optimization of the superconducting outsert of a 45-T hybrid magnet

*S.R. Voleti, J.R. Miller and N. Chandra* 105

Switching speed for controlled damping using thin film  $\text{YBa}_2\text{Cu}_3\text{O}_{7.5}$

*A.N. Terentiev, S.H. Moffat, R.A. Hughes, J.S. Preston, J. van Lierop and J.P. Harrison* 113

Use of inertia in orifice pulse tube refrigerators

*D.L. Gardner and G.W. Swift* 117

Liquid nitrogen sample cooling

*B.V. Elkonin* 123

#### Number 3/March

Stress analysis of matrix and cylindrical inclusion from twisted composite superconductor with transport current in diametrical

## Index

- magnetic field  
E.A. Deviatkin 129
- Mechanical properties of carbon fiber reinforced plastics and their response to a radiation environment  
S.M. Spießberger, K. Humer, E.K. Tschegg, H.W. Weber, K. Noma and Y. Iwasaki 135
- Cryogenic design of a high- $T_c$  SQUID-based heart scanner cooled by small Stirling cryocoolers  
P.J. van den Bosch, H.J.M. ter Brake, J.J. Holland, H.A. de Boer, J.F.C. Verberne and H. Rogalla 139
- A theoretical model for collapse of vapour locks formed during filling of cryogenic systems  
T.K. Nandi and K. Ramamurthi 153
- A two-stage pulse tube cooler operating below 4 K  
C. Wang, G. Thummes and C. Heiden 159
- Anomalous magnetic properties and proximity effect coupling in VAMAS strands  
M.D. Sumption and E.W. Collings 165
- Specific heat of beryllium-copper alloy at very low temperature  
Y. Karaki, Y. Koike, M. Kubota and H. Ishimoto 171
- An apparatus for the transport current versus magnetic field measurements in  $LN_2$  in the temperature range 77–124 K  
B.A. Glowacki, E.A. Robinson and S.P. Ashworth 173
- Erratum to: 'Transport  $I_c$  measurement technique with non-soldered contacts for Ag-sheathed high  $T_c$  superconductors'  
P. Kováč, T. Melišek and I. Hušek 177
- Number 4/April**
- Investigations on current limiting performances in magnetic shield type high  $T_c$  superconducting fault current limiter  
T. Onishi and A. Nii 181
- Experimental and numerical results in closed annular space heat transfer at low temperature  
D. Chatain and R. Vallcorba 187
- Vibration suppression of a disk-shaped superconductor with PD control  
M. Komori, T. Ide, S. Fukata and T. Matsushita 195
- Operation of superconductively jointed Bi-2212 solenoidal coil in persistent current mode  
T. Hase, K. Shibutani, S. Hayashi, M. Shimada, R. Ogawa, Y. Kawate, T. Kiyoshi and K. Inoue 201
- Numerical analysis of 4 K pulse tube coolers: Part I. Numerical simulation  
C. Wang 207
- Numerical analysis of 4 K pulse tube coolers: Part II. Performances and internal processes  
C. Wang 215
- Development of aerodynamic foil journal bearings for a high speed cryogenic turboexpander  
L.-Y. Xiong, G. Wu, Y. Hou, L.-Q. Liu, M.-F. Ling and C.-Z. Chen 221
- Number 5/May**
- Cryogenic composite supports: a review of strap and strut properties  
R.P. Reed and M. Golda 233
- Measurements of linear thermal expansion coefficients of copper SRM 736 and some commercially available coppers in the temperature range 20–300 K by means of an absolute interferometric dilatometer  
M. Okaji, N. Yamada, H. Kato and K. Nara 251
- Thermal conductivity of the  $c$ -axis aligned  $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$  in the superconducting and mixed states  
M. Matsukawa, K. Iwasaki, K. Noto, T. Sasaki, N. Kobayashi, K. Yoshida, K. Zikihara and M. Ishihara 255
- A critical nonequilibrium phase transition and  $1/f$  noise in a current-carrying thin HTSC film-boiling nitrogen system  
V.N. Skokov, V.N. Koverda and V.P. Skripov 263
- New excitation method of superconducting magnet using LC resonance  
T. Ishigohka, K. Shimizu, A. Ninomiya and T. Koga 267
- Experimental study on a double-orifice two-stage pulse tube refrigerator  
G. Chen, L. Qiu, J. Zheng, P. Yan, Z. Gan, X. Bai and Z. Huang 271
- Two-axis goniometer for use in the mixing chamber of a dilution refrigerator  
M. Suzuki, A. Sawada, A. Ishiguro and K. Maruya 275
- $^3He/^4He$  dilution refrigerator precooled by Gifford-McMahon refrigerator  
K. Uhlig and W. Hehn 279
- Number 6/June**
- Characteristics of heating in a mechanically vibrated superconducting coil  
E. Suzuki, S. Saito, J. Ohmori, M. Oki and F. Suzuki 287
- Košice nuclear demagnetization refrigerator  
P. Skyba, J. Nyéki, E. Gažo, V. Makroczyova, Yu. M. Bunkov, D.A. Sergackov and A. Feher 293
- Voltage spike observation in superconducting cable-in-conduit conductor under ramped magnetic fields: I. Experiment  
S. Jeong, J.H. Schultz, M. Takayasu, V. Vysotsky, P.C. Michael, W. Warnes and S. Shen 299
- Thermal conductivity of polyurethane foams from room temperature to 20 K  
C.-j. Tseng, M. Yamaguchi and T. Ohmori 305
- Thermodynamic aspects of pulse tubes  
A.T.A.M. de Waele, P.P. Steijaert and J. Gijzen 313
- Feasibility of superconducting generators in electric power systems  
Y. Aiyama, S. Sekine and T. Nitta 325
- $^3He$  cryostat for superconducting tunnel junction detectors  
M. Kurakado and Y. Ikematsu 331
- The Nobel Prize in Physics for 1996: a personal perspective  
H. Weinstock 335
- Number 7/July**
- Cryogenic thermometry: a review of progress since 1982  
L.G. Rubin 341
- Dynamic experimental investigation

- of a multi-bypass pulse tube refrigerator  
Y.L. Ju, C. Wang and Y. Zhou 357
- Heating phenomena in the superconducting magnet of a maglev vehicle caused by electromagnetic vibration  
E. Suzuki 363
- Heat load characteristics and new design using one-coil model superconducting magnets  
Y. Jizo, H. Akagi, T. Yamaguchi, M. Terai and M. Shinobu 371
- E-J characteristics and a.c. losses in a superconducting Bi(2223) hollow cylinder  
T. Wakuda, T. Nakano, M. Iwakuma, K. Funaki, M. Takeo, K. Yamafuji, Y. Yamada and S. Yasuhara 381
- Artificial pinning centres in jelly-roll processed Nb/Cu composites  
T. Kitai, M. Higuchi and K. Osamura 389
- Study of the minimum refrigeration temperature of regenerative cryocoolers  
G. Chen, G. Chen and J. Yu 397
- Number 8/August**
- Heat load tests of superconducting magnets vibrated electromagnetically for the Maglev train  
J. Ohmori, H. Nakao, T. Yamashita, Y. Sanada, M. Shudou, M. Kawai, M. Fujita, M. Terai and A. Miura 403
- Design and testing of current leads made from Ag-Au sheathed Bi-2223 superconducting wires  
T. Sasaoka, J. Sato, K. Fukushima, M. Okada, M. Endo, Y. Yaegashi and M. Nagano 409
- Current carrying capacity reduction in superconducting multi-strand cable with different smoothness of voltage-current characteristics of strands  
V.R. Romanovskii and A.V. Gavrilin 417
- Generalized critical state model in high- $T_c$  superconductors  
K. Yamafuji, T. Wakuda and T. Kiss 421
- Measurements of current distribution in a 12-strand Nb<sub>3</sub>Sn cable-in-conduit conductor  
V. S. Vysotsky, M. Takayasu, S. Jeong, P. C. Michael, J. H. Schultz and J. V. Minervini 431
- Ramp-Rate limitation due to current imbalance in a large cable-in-conduit conductor consisting of chrome-plated strands  
N. Koizumi, Y. Takahashi, M. Nishi, T. Isono, H. Tsuji, M. Ono, T. Hamajima and T. Fujioka 441
- Digital operation range of a RSFQ toggle flipflop  
W. Benzing and W. Jutzi 453
- Investigation of active-buffer pulse tube refrigerator  
S. Zhu, Y. Kakimi and Y. Matsubara 461
- Heating-Induced acoustic emission in an adiabatic high-temperature superconducting winding  
K. Arai and Y. Iwasa 473
- Number 9/September**
- Heat load characteristics of new superconducting magnets for the Yamanashi test line  
H. Tsuchishima, M. Terai, H. Yoshida, H. Watanabe, M. Yamaji, M. Matsuda, Y. Jizo and T. Fujimoto 479
- Stability and heat removal characteristics of a cable-in-conduit superconductor for short length and short period perturbation  
N. Koizumi, Y. Takahashi, K. Okuno, M. Nishi, T. Isono and H. Tsuji 487
- Pulse tube refrigerator with low temperature switching valve: concept and experiments  
J. Liang, C. Zhang, J. Cai, E. Luo, Y. Zhou, and L. Xu 497
- Levitation forces of a single-grained Y-Ba-Cu-O bulk superconductor of 48 mm in diameter  
H. Teshima, M. Sawamura, M. Morita and M. Tsuchimoto 505
- Superconductive quantum fluxmeter—superconductive quantum magnetometer with external feedback  
V. Zrubec and A. Urban 511
- Influence of a multistrand cable design on its quench development process and stability  
V.S. Vysotsky, A.V. Korobko, Y.A. Ilyin, G.B.M. Mulder and H.H.J. ten Kate 517
- Study of pressure oscillation during noisy film boiling in He II  
M. Yamaguchi and M. Murakami 523
- Modification test of staged pulse tube refrigerator for temperatures below 4 K  
G. Chen, J. Zheng, L. Qiu, X. Bai, Z. Gan, P. Yan, J. Yu, T. Jin and Z. Huang 529
- Design-relevant mechanical properties of 316-type steels for superconducting magnets  
R.L. Tobler, A. Nishimura and J. Yamamoto 533
- Number 10/October**
- The critical state in YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub> high temperature superconductor  
D. Bracanovic, P.A.J. de Groot, M. Oussena, S.J. Porter, O.A. Mironov, S.J. Manton, Z. Yi, C. Beduz and P.C. McDonald 555
- Normal state versus paraconsistent resistivity in granular copper-oxide superconductors  
A. Díaz, J. Mosqueira, J.A. Velaz, J. Maza and F. Vidal 559
- Magnetoresistivity near the superconducting transition of high temperature copper oxide superconductors with non-uniformly distributed  $T_c$  inhomogeneities  
J. Mosqueira, Th. Siebold, A. Pomar, A. Díaz, J.A. Veira, J. Maza and F. Vidal 563
- Bulk high temperature superconductors for magnet applications  
A.M. Campbell and D.A. Cardwell 567
- The trapped field of YBCO bulk superconducting magnets  
K. Nagashima, T. Higuchi, J. Sok, S.I. Yoo, H. Fujimoto and M. Murakami 577
- Fabrication and performance of long (Bi<sub>x</sub>Pb<sub>1-x</sub>)<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>8</sub>/Ag composite tapes  
L. Le Lay, C.M. Friend and T.P. Beales 583
- Microstructural evolution through a thermal treatment to obtain needle-shaped grains of Bi<sub>2</sub>Sr<sub>2</sub>CaCu<sub>2</sub>O<sub>8+x</sub>  
O. Cabeza, O. Barca and F. Miguélez 589
- The effect of core density on the formation of the 2223 phase in (Pb/Bi)<sub>2</sub>Sr<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>x</sub> superconducting tapes  
S.J. Fisher, M.K. Al-Mosawi, C. Beduz and Y. Yang 593
- Long lengths of Bi(2223)

- superconducting tapes  
G. Grasso, F. Marti, Y. Huang  
and R. Flükiger 597
- Influence of partial oxygen pressure  
on the processing of Ag-sheathed  
BSCCO-2223 tapes  
M. Penny, S. Feltham, C. Beduz,  
Y. Yang, R. Scurlock and  
R. Wroe 601
- The local phase conversion and  
critical current density of silver-  
doped  $(\text{Bi}/\text{Pb})_2\text{Sr}_2\text{Ca}_2\text{Cu}_3\text{O}_x$  tapes  
Z. Yi, L. Law, C. Beduz,  
R.G. Scurlock and R. Riddle  
605
- Critical current anisotropy of TI-1223  
superconductors  
B.A. Glowacki 609
- Residual stress and the critical  
current in superconducting tapes  
E.C.L. Chesneau, B.A. Glowacki  
and I. MacDougall 615
- Influence of the surface melting of  
 $\text{Y}_1\text{Ba}_2\text{Cu}_3\text{O}_{7-\delta}$  polycrystalline  
samples on their resistivity and  
critical currents  
S.R. Currás, G. Domarco,  
O. Cabeza, J.A. Veira and  
F. Vidal 619
- The effect of the heating rate on the  
core morphology and transport  $J_c$   
of  $(\text{Pb},\text{Bi})2223$  superconducting  
tapes  
D.M. Spiller, M.K. Al-Mosawi,  
Y. Yang, C. Beduz and  
R. Riddle 623
- Characteristics of the a.c. losses in  
Ag-sheathed  $\text{PbBi}2223$  tapes  
Y. Yang, T. Hughes and  
C. Beduz 627
- Self-Field a.c. losses in mono- and  
multi-filamentary Bi-2223/Ag  
tapes at power frequencies  
S.A. Awan, S. Sali, C.M. Friend  
and T.P. Beales 633
- Low magnetic field study of a.c.  
losses on monocoil Bi-2223 and  
TI-1223 silver sheathed tapes  
M. Cizek, A.M. Campbell,  
B.A. Glowacki and W.Y. Liang  
637
- A.C. magnetization characteristics of  
Nd123 bulk superconductors  
K. Waki, T. Higuchi, S.I. Yoo,  
M. Watahiki, N. Hayashi,  
N. Sakai, N. Chikumoto and  
M. Murakami 643
- Power system applications of high  
temperature superconductors  
W.G. Garlick 649
- Construction and characterization of  
an inductive superconducting  
current limiting device based on  
ceramic  $\text{Y}_1\text{Ba}_2\text{Cu}_3\text{O}_{7-\delta}$  O-rings  
S.R. Currás, R. Santos,  
G. Domarco, A. Díaz, J.A. Veira,  
J. Maza, M.X. François and  
F. Vidal 653
- Fault current limiters using  
superconductors  
W.T. Norris and A. Power 657
- Inductive high- $T_c$  superconducting  
fault current limiter based on Bi-  
2212 tube  
S. Zannella, L. Jansak and  
P. Donadio 667
- Thin-Film HTS delay-line filters  
F. Huang 671
- HTS/Ferroelectric microwave phase  
shifters  
F. Abbas, J.C. Gallop and  
C.D. Langham 681
- Several kinds of Josephson junctions  
based on BSCCO-2212 and  
TBCCO-2212 thin films  
A. Pfuch, F. Schmidl, A. Wiese,  
L. Dörrer, U. Hübner and  
P. Seidel 685
- Heart monitoring with high- $T_c$  d.c.  
SQUID  
R. Weidl, S. Brabetz, R. Klemm,  
L. Dörrer, P. Schmidl and  
P. Seidel 691
- Pulse tube coolers for HTS devices  
B.E. Evans and  
R.N. Richardson 695
- Advantages of a four-valve pulse  
tube cryocooler for high- $T_c$  sensor  
operation  
G. Kaiser, H. Brehm, R. Wagner,  
J. Gerster, S. Wunderlich,  
M. Thürk and P. Seidel 699
- connected saturated He II baths  
S.W. Van Sciver, X. Huang and  
J. Panek 745
- Heat transfer characteristics from a  
plane surface to a saturated He II  
bath  
M. Fouaidy and T. Junquera  
753

## Number 12/December

- Acoustic streaming in pulse tube  
refrigerators: Tapered pulse tubes  
J.R. Olson and G.W. Swift 769
- Development of high rigidity  
superconducting magnet for  
Maglev system  
T. Takizawa, T. Sonobe,  
F. Suzuki, E. Suzuki, M.  
Iwamatsu, A. Kishikawa, M. Terai  
and  
I. Ohishi 777
- Measurement of time constants for  
superconducting cables with Hall  
probes  
N. Yanagi, S. Takács, T. Mito,  
K. Takahata, A. Iwamoto and  
J. Yamamoto 783
- Two dimensional normal zone  
propagation in BSCCO-2223  
pancake coils  
H. Lim and Y. Iwasa 789
- Cryotribology of diamond and  
graphite  
Y. Iwasa, A.F. Ashaboglu,  
E.R. Rabinowicz, T. Tachibana  
and  
K. Kobashi 801
- "Electromaglev" — magnetic  
levitation of a superconducting  
disk with a DC field generated by  
electromagnets: Part I theoretical  
and experimental results on  
operating modes, lift-to-weight  
ratio, and suspension stiffness  
T. Iwasa and H. Lee 807
- Low Temperature thermometer using  
sputtered  $\text{ZrN}_x$  thin film  
T. Yotsuya, M. Yoshitake and  
T. Kodama 817
- Magnetic field hysteresis of critical  
currents in Bi(2223)/Ag tapes and  
a way to overcome it  
L. Cesnak, T. Melišek, P. Kováč  
and I. Hušek 823
- Numerical study of flow and heat  
transfer of superfluid helium in  
capillary channels  
K. Takamatsu, N. Fujimoto,  
Y.F. Rao and K. Fukuda 829
- Mechanical tests on the surface-  
coated Bi-2212 superconducting  
tapes  
L.Y. Xiao, D.K. Hilton,

## Number 11/November

- He II refrigeration system  
performance in the SMES proof  
of principle experiment  
J.M. Pfothner, O.D. Lokken,  
O.R. Christianson and  
E.F. Daly 711
- The TESLA 500 cryogenic system  
and He II two-phase flow: issues  
and planned experiments  
S. Wolff, B. Petersen,  
D. Sellmann, G. Horlitz and  
S.W. Van Sciver 719
- The nature of the helium flow in  
Fermilab's Tevatron dipole  
magnets  
T.J. Peterson 727
- Stratified two-phase superfluid  
helium flow: part I  
B. Rousset, L. Grimaud and  
A. Gauthier 733
- Stratified two-phase superfluid  
helium flow: part II  
L. Grimaud, A. Gauthier,  
B. Rousset and J.M. Delhaye  
739
- Heat and mass transfer processes in

- Y.S. Hascicek and S.W. Van Sciver 837
- A new method for superconductor magnetization curve computing  
L. Burileanu, V. Teodorescu, I. Pop and D. Iordache 843
- Heat transfer through subcooled HeI layer from distributed heat source in a pressurized He II channel  
H. Kobayashi, Y. Fujimura, T. Murata and M. Sakata 851
- Experimental study of staging method for two-stage pulse tube refrigerators for liquid  $^4\text{He}$  temperatures  
C. Wang, G. Thummes and C. Heiden 857
- Field and temperature dependences of critical current on industrial  $\text{Nb}_3\text{Sn}$  strands  
A. Martinez, J.L. Duchateau 865
- Thermal impedance of thick-film resistance thermometers below 0.2 K  
G. Ventura, L. Lamzi, I. Peroni, A. Peruzzi and G. Ponti 877
- Pacific rim international workshop on applied superconductivity (PRIWAS'97)  
S.A. Egorov and S.-S. Oh 879
- ### Author Index
- 4 K pulse tube cooler 215
- Abbas, F., 681
- Aiyama, Y., 325
- Akagi, H., 371
- Al-Mosawi, M.K., 593
- Alessandrello, A., 27
- Arai, K., 473
- Ashaboglu, A.F., 801
- Ashworth, S.P., 173
- Awan, S.A., 633
- Bai, X., 271, 529
- Baldha, G.J., 15
- Beales, T.P., 583, 633
- Beduz, C., 555, 593, 601, 605, 627
- Benzing, W., 453
- Brabetz, S., 691
- Bracanovic, D., 555
- Brehm, H., 699
- Brofferio, C., 27
- Bunkov, Yu.M., 293
- Burileanu, L., 843
- Buznikov, N.A., 71
- Cabeza, O., 619
- Cai, J., 497
- Camin, D.V., 27
- Campbell, A.M., 567, 637
- Cardwell, D.A., 567
- Chandra, N., 105
- Chatain, D., 187
- Chen, G., 271, 397, 397, 529
- Chesneau, E.C.L., 615
- Chikumoto, N., 643
- Christianson, O.R., 711
- Ciszek, M., 637
- Collings, E.W., 165
- Collings, J.W., 49
- Cremonesi, O., 27
- Currás, S.R., 619, 653
- Díaz, A., 559, 563, 653
- Dall'Oglio, G., 63
- Daly, E.F., 711
- de Boer, H.A., 139
- de Groot, P.A.J., 555
- de Waele, A.T.A.M., 313
- Delhay, J.M., 739
- Deviatkin, E.A., 129
- Domarco, G., 619, 653
- Donadio, P., 667
- Dörrer, L., 685, 691
- Duchateau, J.L., 865
- Elkonin, B.V., 123
- Endo, M., 409
- Evans, B.E., 695
- Feher, A., 293
- Feltham, S., 601
- Fisher, S.J., 593
- Fouaidy, M., 753
- François, M.X., 653
- Friend, C.M., 583, 633
- Fujimoto, H., 577
- Fujimoto, N., 1, 829
- Fujimoto, T., 479
- Fujioka, T., 441
- Fujita, M., 403
- Fukata, S., 195
- Fukuda, K., 1, 829
- Fukushima, K., 409
- Gallop, J.C., 681
- Gan, Z., 271, 529
- Gardner, D.L., 117
- Garlick, W.G., 649
- Gauthier, A., 733, 739
- Gavrilin, A.V., 417
- Gažo, E., 293
- Gerber, R., 21
- Gerster, J., 699
- Gijzen, J., 313
- Giuliani, A., 27
- Glowacki, B.A., 173, 615, 637
- Golda, M., 233
- Grimaud, L., 733, 739
- Gross, R., 21
- Guo, T., 67
- Hamajima, T., 441
- Hascicek, Y.S., 837
- Hase, T., 201
- Hashimoto, T., 11
- Hayakawa, N., 91
- Hayashi, N., 643
- Hayashi, S., 201
- Hehn, W., 279
- Heiden, C., 159, 857
- Higuchi, M., 389
- Higuchi, T., 577, 643
- Hikita, M., 91
- Hilton, D.K., 837
- Holland, J.J., 139
- Horlitz, G., 719
- Huang, F., 671
- Huang, X., 745
- Huang, Z., 271, 529
- Hübner, U., 685
- Huebener, R.P., 21
- Hughes, T., 627
- Umer, K., 135
- Hušek, I., 177
- Ide, T., 195
- Ikematsu, Y., 331
- Ilyin, Y.A., 517
- Inoue, K., 201
- internal processes 215
- Iordache, D., 843
- Ishigohka, T., 267
- Ishiguro, A., 275
- Ishimoto, H., 171
- Isono, T., 441, 487
- Itoh, K., 49, 77
- Itoh, Y., 43
- Iwamatsu, M., 777
- Iwamoto, A., 783
- Iwasa, Y., 473, 789, 801, 807
- Iwasaki, Y., 135
- Jansak, L., 667
- Jeong, S., 299, 431
- Jin, T., 529
- Jizo, Y., 371, 479
- Joshi, U.S., 15
- Ju, Y.L., 357
- Junquera, T., 753
- Jutzi, W., 453
- Kaiser, G., 699

- Kakimi, Y., 461  
 Karaki, Y., 171  
 Kato, H., 251  
 Kawai, M., 403  
 Kawate, Y., 201  
 Kishikawa, A., 777  
 Kiss, T., 421  
 Kitai, T., 389  
 Kitamura, T., 1  
 Kiyoshi, T., 201  
 Klemm, F., 691  
 Kobashi, K., 801  
 Kodama, T., 817  
 Koelle, D., 21  
 Koga, T., 267  
 Koike, Y., 171  
 Koizumi, N., 441, 487  
 Komori, M., 195  
 Korobko, A.V., 517  
 Kováč, P., 177  
 Koverda, V.N., 263  
 Kuberkar, D.G., 15  
 Kubota, M., 171  
 Kulkarni, R.G., 15  
 Kurakado, M., 331  
 Kuriyama, T., 11  
  
 Langham, C.D., 681  
 Law, L., 605  
 Le Lay, L., 583  
 Lee, H., 807  
 Liang, J., 497  
 Liang, W.Y., 637  
 Lim, H., 789  
 Lokken, O.D., 711  
 Luo, E., 497  
  
 MacDougall, I., 615  
 Makroczyová, V., 293  
 Manton, S.J., 555  
 Martinez, A., 865  
 Martinis, L., 63  
 Maruya, K., 275  
 Matsubara, Y., 461  
 Matsuda, M., 479  
 Matsumoto, K., 11  
 Matsushita, T., 195  
 Maytal, B.-Z., 33  
 Maza, J., 559, 563, 653  
 McDonald, P.C., 555  
 Melíšek, T., 177  
 Michael, P.C., 299, 431  
 Miller, J.R., 105  
 Minervini, J.V., 431  
 Mironov, O.A., 555  
 Mito, T., 783  
 Miura, A., 403  
 Mizutani, U., 43  
 Morgante, G., 63  
 Morita, M., 505  
  
 Mosqueira, J., 559, 563  
 Mulder, G.B.M., 517  
 Murakami, M., 523, 577, 643  
  
 Nagano, M., 409  
 Nagashima, K., 577  
 Nakagome, H., 11  
 Nakao, H., 403  
 Nandi, T.K., 153  
 Nara, K., 251  
 Nii, A., 181  
 Ninomiya, A., 267  
 Nishi, M., 441, 487  
 Nishimura, A., 533  
 Nissel, T., 21  
 Nitta, T., 325  
 Noma, K., 135  
 Norris, W.T., 657  
 Nucciotti, A., 27  
 Nyéki, J., 293  
  
 Ogawa, R., 201  
 Ohmori, J., 287, 403  
 Ohmori, T., 305  
 Oishi, I., 777  
 Oka, T., 43  
 Okada, M., 409  
 Okaji, M., 251  
 Oki, M., 287  
 Okubo, H., 91  
 Okuno, K., 487  
 Olson, J.R., 769  
 Onishi, T., 181  
 Ono, M., 441  
 Osamura, K., 389  
 Oussena, M., 555  
  
 Panek, J., 745  
 Pansuria, K.M., 15  
 Pavan, M., 27  
 Penny, M., 601  
 Perego, M., 27  
 performance, 215  
 Pessina, G., 27  
 Petersen, B., 719  
 Peterson, T.J., 727  
 Pfothner, J.M., 711  
 Pfuch, A., 685  
 Pizzo, L., 63  
 Pomar, A., 563  
 Pop, I., 843  
 Porter, S.J., 555  
 Power, A., 657  
 Previtali, E., 27  
 Pukhov, A.A., 71  
  
 Qiu, L., 271, 529  
  
 Rabinowicz, E.R., 801  
 Ramamurthi, K., 153  
 Rao, Y.F., 1, 829  
 Reed, R.P., 233  
  
 Richardson, R.N., 695  
 Riddle, R., 605  
 Robinson, E.A., 173  
 Rogalla, H., 139  
 Romanovskii, V.R., 417  
 Rousset, B., 733, 739  
 Rubin, L.G., 341  
  
 Saito, S., 287  
 Sakai, N., 643  
 Sali, S., 633  
 Sanada, Y., 403  
 Santos, R., 653  
 Sasaoka, T., 409  
 Sato, J., 409  
 Sawada, A., 275  
 Sawamura, M., 505  
 Schmidl, F., 685, 691  
 Schmidt, C., 77  
 Schultz, J.H., 299, 431  
 Scurlock, R., 601  
 Scurlock, R.G., 605  
 Seidel, P., 685, 691, 699  
 Sekine, S., 325  
 Sellmann, D., 719  
 Sergackov, D.A., 293  
 Shavit, A., 33  
 Shen, S., 299  
 Shibutani, K., 201  
 Shimada, M., 201  
 Shimizu, K., 267  
 Shinobu, M., 371  
 Shiramizu, K., 1  
 Shudou, M., 403  
 Siebold, Th., 563  
 Sisti, M., 27  
 Skokov, V.N., 263  
 Skripov, V.P., 263  
 Skyba, P., 293  
 Sok, J., 577  
 Sonobe, T., 777  
 Spießberger, S.M., 135  
 Steijaert, P.P., 313  
 Sukhov, V.I., 61  
 Sumption, M.D., 49, 165  
 Suzuki, E., 287, 363, 777  
 Suzuki, F., 287, 777  
 Suzuki, M., 275  
 Swift, G.W., 117, 769  
  
 Tachibana, T., 801  
 Tachikawa, K., 49  
 Takács, S., 783  
 Takahashi, Y., 441, 487  
 Takahata, K., 783  
 Takamatsu, K., 829  
 Takayasu, M., 299, 431  
 Takizawa, T., 777  
 ten Kate, H.H.J., 517  
 Teodorescu, V., 843

- ter Brake, H.J.M., 139  
 Terai, M., 371, 403, 479, 777  
 Teshima, H., 505  
 Thummes, G., 159, 857  
 Thürk, M., 699  
 Tobler, R.L., 533  
 Tschegg, E.K., 135  
 Tseng, C.-j., 305  
 Tsuchimoto, M., 43, 505  
 Tsuchishima, H., 479  
 Tsuji, H., 441, 487  
 Tsukagoshi, T., 11  
 Uhlig, K., 279  
 Ulybin, S.A., 61  
 Urban, A., 511  
 Vallcorba, R., 187  
 van den Bosch, P.J., 139  
 Van Sciver, S.W., 719, 745, 837  
 Veira, J.A., 559, 563, 619, 653  
 Verberne, J.F.C., 139  
 Vidal, F., 559, 563, 619, 653  
 Voleti, S.R., 105  
 Vysotsky, V., 299  
 Vysotsky, V.S., 431, 517  
 Wada, H., 49, 77  
 Wagner, R., 699  
 Waki, H., 43  
 Waki, K., 643  
 Wakita, M., 91  
 Wakuda, T., 421  
 Wang, C., 159, 207, 215, 357, 857  
 Warnes, W., 299  
 Watahiki, M., 643  
 Watanabe, H., 479  
 Weber, H.W., 135  
 Weidl, R., 691  
 Weisend II, J.G., 719  
 Wener H.-G., 21  
 Wiese, A., 685  
 Willmann A., 21  
 Wolff, S., 719  
 Wroe, R., 601  
 Wunderlich, S., 699  
 Xiao, L.Y., 837  
 Xu, L., 497  
 Yaegashi, Y., 409  
 Yamada, N., 251  
 Yamada, Y., 43  
 Yamafuji, K., 421  
 Yamaguchi, M., 305, 523  
 Yamaguchi, T., 371  
 Yamaji, M., 479  
 Yamamoto, J., 533, 783  
 Yamashita, T., 403  
 Yan, P., 271, 529  
 Yanagi, N., 783  
 Yanagi, Y., 43  
 Yang, Y., 593, 601, 627  
 Yi, Z., 555, 605  
 Yoo, S.I., 577, 643  
 Yoshida, H., 479  
 Yoshikawa, M., 43  
 Yoshitake, M., 817  
 Yotsuya, T., 817  
 Yu, J., 397, 529  
 Zannella, S., 667  
 Zhang, C., 497  
 Zheng, J., 271, 529  
 Zhou, Y., 357, 497  
 Zhu, S., 461  
 Zhu, T., 67  
 Zrubec, V., 97, 511

## Keyword Index

- 1/f noise 263  
 2223 conversion rate 601  
 316-type stainless steel 533  
<sup>3</sup>He 63  
<sup>3</sup>He cryostat 331  
<sup>3</sup>He/<sup>4</sup>He dilution refrigerator 279  
 4 K pulse tube 207  
 a.c. loss 49, 421, 627, 633, 637  
 a.c. loss measurement 77  
 a.c. magnetization 77  
 a.c. superconducting multi-strand cable 417  
 a.c. susceptibility 643  
 absolute measurement 251  
 acoustic emission 135, 473  
 acoustic streaming 769  
 active control 181  
 active maglev 807  
 active-buffer pulse tube refrigerator 461  
 actuators 195  
 adiabatic efficiency 497  
 Ag-Au sheathed Bi-2223 tape shaped wires 409  
 APC 389  
 argon 61  
 atomic substances 61  
 bending 837  
 Be-Cu 171  
 Bi-2212 bulk 667  
 Bi-2223 593, 605  
 Bi<sub>2</sub>Sr<sub>2</sub>Ca<sub>1</sub>Cu<sub>2</sub>O<sub>x</sub> 201  
 bicrystalline and biepitaxial BSCCO-2212 Josephson junctions 685  
 boiling heat transfer 67  
 BSCCO-2223 601  
 BSCCO-2223 tapes 789  
 bulk ceramic HTSC 619  
 bulk high *T<sub>c</sub>* superconductor 43  
 bulk superconducting magnet 577  
 bulk superconductors 505  
 cable-in-conduit 441, 487  
 cable-in-conduit conductor 105, 299, 431  
 carbon fibre reinforced plastics 135  
 changing current 71  
 chilling 153  
 clogging 123  
 collapsing time 153  
 composite superconductors 129  
 composites 233  
 convection 187  
 cooling characteristics 293  
 cooling power 313  
 copper 251, 293  
 core density 593  
 critical current 173, 555, 637, 837  
 critical current density 615, 643, 865  
 critical field model 843  
 critical state 555, 637  
 critical state model 577  
 cryocoolers 271, 313, 461, 695  
 cryogenic structural supports 233  
 cryogenic thermometry 341  
 cryogenics 187, 801  
 cryostat 21, 777  
 current distribution 431  
 current imbalance 441  
 current lead 409  
 current limiter 653  
 Cu-Ni 165  
 d.c. SQUIDs 685  
 dB/dt 299  
 dHvA effect 275  
 diamond 801  
 digital range 453

- dilution refrigerator 275
- double orifice 529
- economic feasibility 325
- EDS doped silver 605
- electrical resistivity 563
- electromagnetic disturbance 363
- electromagnetic vibration 403
- electromagnetic vibration test 479
- epoxy resin 129
- Er-123 15
- error rate 453
- Er-Ca and Cu-Co substitution 15
- excitation method 267
- expander 497
- experiment 357
- experimental investigation 271
- experimental verification 207
- fault current limiter 181, 657
- ferroelectric/HTS thin films 681
- filling 153
- filters 671
- flux pinning 421
- formation rate 593
- four-valve pulse tube cryocooler 699
- friction 287
- gas inertia 117
- Gifford-McMahon refrigerator 279
- global-local finite element analysis 105
- GM refrigerator 11
- goniometer 275
- gradiometer 691
- grain size 593
- granular high-temperature superconductors 559
- graphite 801
- Hall probe 577, 783
- He II 1, 711, 719, 745, 753
- heart monitoring 691
- heat exchange 173, 711
- heat leak 409
- heat load 363, 371, 479
- heat transfer 1, 187, 745, 753, 829
- heating phenomena 287
- heating rate 593
- helium 727
- high heat flux 753
- high  $T_c$  superconductivity 21
- high  $T_c$  superconductor 177, 195, 421, 555
- high temperature superconductors 173, 473, 583, 649
- high- $T_c$  d.c. SQUID 691
- high- $T_c$  dc-SQUID magnetometer 139
- high- $T_c$  fault current limiter 667
- high- $T_c$  SQUID operation 699
- hole doping 15
- hole filling 15
- HTS 567
- HTS devices 681, 695
- HTSC 563, 653
- hybrid outsert 105
- hysteresis loop 843
- incubation period 593
- inductance of superconductive coils 511
- induction period 605
- inductive device 653
- inertance 117
- inhomogeneities 563
- inner vessel 363, 371
- insulation 305
- integral effect 33
- interferometer 251
- internal convection 1
- internal energy of neon 61
- internal-convection 829
- intralaminar shear strength 135
- inversion phenomenon 33
- irreversibility 643
- $J_c$ - $B$  Curves 577
- Joule-Thomson 33
- Kapitza conductance 753
- krypton 61
- lambda line 397
- LC resonance 267
- leakage suppression 27
- limiting current 487
- liquid helium 67
- liquid helium temperatures 159, 529, 857
- liquid hydrogen 305
- liquid nitrogen 123, 173
- local instability 91
- loud audible noise generation 523
- low temperatures 123
- Maglev 479
- Maglev train 403, 777
- magnet structure 363
- magnetic bearings 195
- magnetic levitation 807
- magnetic regenerator materials 11
- magnetization measurement 49
- magnetocardiography 139
- magnetoresistance 817
- manufacturing cost 325
- mathematic modeling 1
- matrix 165
- measurement of radial position of beam 97
- mechanical properties 233, 533
- mechanical vibrating deformation 287
- melt processing 567
- microstructure 555
- microwaves 671
- minimum refrigeration temperature 397
- multi-bypass 357
- multi-dimensional 1
- multifilament 389
- multilayer regenerator 11
- multiple staging methods 271
- narrow channel 67
- Nb 389
- Nb<sub>3</sub>Sn 865
- NbTi multifilamentary strands 49
- NbTi strands 77
- Nd123 superconductors 643
- noise properties 699
- noisy film boiling 523
- non-soldered contacts 177
- nonequilibrium phase transitions 263
- normal state resistivity 559
- normal zone propagation 71, 789
- nuclear demagnetization 293
- nuclear quadrupole interaction 171
- numerical simulation 1, 43, 207, 829
- pancake test coils 789
- paracoherent resistivity 559
- partial oxygen pressure 601
- PbBi2223 627
- PD control 195
- permanent magnets 567
- persistent current mode 201
- persistent current switch 201
- phase shifters 681
- phenomenological thermomechanics 61

- polyurethane foam 305
- power cables 583
- power systems 649
- pressure drop 733, 739
- pressure oscillation
  - measurement 523
- proximity effect 165
- protection of HTS magnets 473
- proximity effect 389
- pulse tube 497
- pulse tube coolers 159
- pulse tube refrigeration 529
- pulse tube refrigerator 117, 271, 357, 461, 695, 769, 857
- pulse tubes 313
- pulsed field magnetization 43
- quantum gas 33
- quench 517
- quench current 91
- radiation detector 331
- radiation effects 135
- radiation shield plate 371
- ramp rate limitation 417, 441
- rate of conversion 605
- Rayleigh 187
- real gas effects 207
- refrigeration 293, 711
- refrigerator 63
- regenerative cryocooler 397
- regenerator efficiency 11
- regenerators 159
- resistance measurement 27
- resistance thermometer 817
- resonance 287
- review 341
- RSFQ flipflops 453
- scanning electron microscopy 21
- SCM 371
- self-field 633
- shaped pulse tubes 769
- solenoidal coil 201
- specific heat 171
- SQM with external feedback 511
- SQUID-magnetometer 97
- SRF cavities 753
- stability 431, 487, 517
- staged configuration 529
- staging method 857
- standard reference data 251
- stepper motor 275
- Stirling cryocooler 139
- strain 837
- stratified flow model 739
- stress 837
- stresses 129
- structural materials for superconducting magnets 533
- structural optimization 105
- superconducting 487
- superconducting cables 517, 783
- superconducting coil 287
- superconducting generator 325
- superconducting joint 201
- superconducting levitation force 505
- superconducting magnet 267, 363, 403, 479, 777
- superconducting tapes 615
- superconducting tunnel junction 331
- superconductive accelerator 97
- superconductive quantum fluxmeter 511
- superconductivity 181
- superconductors 441, 627, 633, 637, 657, 671
- superfluid helium 523, 733, 739, 829
- superleak 829
- surface melting 619
- surface thermometers 753
- tapes 627
- temperature measurement 341
- TESLA 719
- thermal conductivity 305
- thermal expansion 251
- thermal multistability 263
- thermal properties 233
- thermal stresses 615
- thermistors 27
- thermodynamics 313
- thermomagnetic instability 71, 417
- thin film intrinsic Josephson junctions 685
- third harmonic response 643
- time constant 783
- transport current
  - measurement 177
- transport properties 619
- trapped field 577
- tribology 801
- two-fluid model 829
- two-phase flow 719, 733, 739, 745
- type-II superconductors 843
- unshielded environment 691
- upper critical field 865
- VAMAS 165
- vapour lock 153
- vibration 371
- vibration isolation 279
- vibration simulation 777
- void fraction 739
- voltage spike 299
- voltage-current characteristics 417
- Weibull distribution 91
- wetted perimeter 733
- xenon 61
- YBCO 567, 577
- YBCO disk 807
- Y-Ba-Cu-O 505
- ZrN 817



